




TELESTEPS



ECHELLES DE MEUNIER





	TEL-60324	TEL-60924	TEL-60927	TEL-60930
HAUTEUR DU SOL AU PLAFOND	2,35 A 2,45 M	2,35 A 2,65 M	2,65 A 2,93 M	2,93 A 3,20 M
LONGUEUR DE LA TRAPPE	600 MM	890 A 1070 MM	920 A 1000 MM	950 A 1130 MM
LARGEUR DE LA TRAPPE	520 MM	520 MM	520 MM	520 MM
LARGEUR DES MARCHES	90 MM	90 MM	90 MM	90 MM
GENCOD	7394483603241	7394483609243	7394483609274	7394483609304

REPOUD AUX NORMES EUROPEENNE EN131


ADJUSTABLE MODEL 60930

2,93 - 3,20 m CEILING HEIGHT




1

H = 2,93 - 3,03 m
W = 520 mm
L = 950 mm




2

H = 2,98 - 3,08 m
W = 520 mm
L = 980 mm




3

H = 3,03 - 3,13 m
W = 520 mm
L = 1030 mm




4

H = 3,08 - 3,18 m
W = 520 mm
L = 1080 mm











5


H = 3,13 - 3,20 m
W = 520 mm
L = 1130 mm





Montering / Assembly



H = 2,35 - 2,45 m
 L = Min 870 mm
 W = Min 520 mm





Fälla ut / Open

